B												1 1-MATERIALS: -PLATE PER CSA G40.21 50W, MIN.FY=60 KSI, ULTIMATE STRENGTH 70 KSI -TUBE PER ASTM A500 GR C, FY=60KSI, FU=70KSI 2-ANY CHANGE OF MATERIAL IS SUBJECT TO GOLIATHTECH APPROVAL 3-WELD PERFORMED IN ACCORDANCE WITH CSA STANDARD W47.1 AND GOLIATHTECH WELDING PROCEDURES. WELDERS ARE ALSO CERTIFIED TO THE AWS STANDARD. 4-HOT-DIP GALVANIZED, PARTS PER ASTM A123.			В
NO.	Dimension (inches)	Description	Unbraced Stratt Lifes		ECHA npress (kips) 1 _{Coupler}	ion 2	ASD LO <i>I</i> Tension (kips)		ACITY Bending Moment (kips.ft)	Max Soil Capacity Comp/Ten		INITIAL RE MODIFIC	ATION	2023-07-26 DATE	
A B C D E F G H I J	42 17 4 1/4 PITCH 3 3/8		0 5 10 15 20	33.4 12.4 5.5 2.8 1.8	33.4 6.7 4.0 2.4 1.6	33.4 4.0 2.8 1.9 1.3	15.57	8.20	1.93	* (kips) 15.75		GOLIATHTECH boot Screw Pile of 2	PRESTIGE LIN 3/8 (0.154 wall) wi	E th a 17" Helix	-
	1 1 1/2 2 3/8 9/16 1/4	Weld	Note: I. Soil capacity (P4) must be determined per Section 4.1.5 of this report. DRAWN BY: R.E 2. Maximum ultimate soil capacity is determined from Pult = Kt x T based on the corresponding maximum installation torque rating for the specific pile model. Allowable soil capacity is determined from Pa = Pult /2.0 based on the corresponding maximum installation torque rating for the specific pile model. Allowable soil capacity is determined from Pa = Pult /2.0 based on the corresponding maximum installation torque rating for the specific pile model. Allowable soil capacity is determined from Pa = Pult /2.0 based on the corresponding maximum installation torque rating for the specific pile model. See Section 4.1.5 for additional information. DESIGN BY: GOLIATHTECH 2. Maximum Torque Per Soil Tests is the maximum torgue achieved during field axial interaction. CPOC APP BY: CPOC 5. Maximum Installation Torque rating is the lower of the "mechanical torsion rating" and the "maximum torque per soil tests". OTHER NO : PAGE : PAGE :									FECH PAGE : 6 1 DE 1 DUCED OR COPIED	A		