
1



NOTES:

1-MATERIALS:

-PLATE PER CSA G40.21 50W, MIN.FY=60 KSI, FU=70KSI -TUBE PER ASTM A500 GR C, FY=60KSI, ULTIMATE STRENGTH 70 KSI 2-ANY CHANGE OF MATERIAL IS SUBJECT TO GOLIATHTECH APPROVAL

3-WELD PERFORMED IN ACCORDANCE WITH CSA STANDARD W47.1 AND GOLIATHTECH WELDING PROCEDURES. WELDERS ARE ALSO CERTIFIED TO THE AWS STANDARD.

		3		
MECHANICAL ASD LOAD CAPACITY SEISMIC DESIGN		2		
		1	INITIAL RELEASE	2023-09-28
CATEGORIES A,B AND C	CATEGORIES D,E AND F	REV	MODIFICATION	DATE

-		Di		CATECODIEC A D AND C			CATECODIES D. F. AND F.			1	INITIAL	ELEAS	E	2023
NO.		Dimension	Description	CATEGORIES A,B AND C			CATEGORIES D,E AND F			REV	MODIFIC	CATIO	N	D
_		(inches)		Compression	Tension	Lateral	Compression	Tension	Lateral					
				(kips)	(kips)	(kips)	(kips)	(kips)	(kips)	GC	ILIA		_ TE	7
ſ	Α	5				1.50 18.45	57.10	21.50	18.12			4		
	В	5 3/8			21.50									
ſ	С	3/8								GOLIATHTECH VENTURA LINE				
ſ	D	8								TITLE: 8x8" (3/8" thick) Plate Fixed Structural non adjustable Head fo				ad for
Ī	Е	8		57.10						SEAL:			DWG. NO:	, ov
f	F	1											VGTBRST27 DRAWN BY:	8-87
İ	G	1 1/2											ARG	
ľ	Н	3/4											DESIGN BY:	<u> </u>
ŀ	ī	3 1/4		Note:									GOLIATHTE	_H
۱,	il	3/4			1.The ASD capacities are based on limit states associated with mechanical steel strength of the brackethe helical pile shaft. Steel column, shaft, or geotechnical capacities may control. The member supports								CPOC	
ŀ	K	3 1/4		by the bracket must be capacities. The support							APP BY:			
ŀ	1			must have a minimum					CPOC					
ŀ		9/16		2.The tabulated capa 18.10.2.2.	er IBC Section				OTHER NO: GTBRST278LSLE	EVE-8				
L	М	3/8		3.Tabulated capacities	s based on two	(2) - ½ - inch dia	ameter hex head bolts.			FORMAT : A	REV.:	DATE :		PAG
	N	9/16		4.All components above the bracket, including the interaction between the base plate and the bolts, a the weld between base plate and its column, are to be determined by the design professional on a						CONT. NITS	1		2023-09-28	
ſ	0	1/4	Weld	specific basis.	Sional on a Job	THIS DOCUMENT CONTAI	NS PROPRIETARY INFORM	IATION AND	MAY NOT BE REPRODUC	CED OR O				
İ	Р	3 1/2		5.Capacities for bare indicated in Section 3.			el thickness as	WITHOUT THE EXPRESS WRITTEN PERMISSION OF A DULY AUTHORIZED REPRESENTATIVE OF GOLIATHTECH INC.				EUF		

GOLIAŢH									
GOLIATHTECH VENTURA LINE									
TITLE: 8x8" (3/8" thick) Plate Fixed Structural non adjustable Head for 2 7/8" Pile									
SEAL:		DWG. NO :							
		VGTBRST278-8X8PL375							
		DRAWN BY:							
ARG					l				
			DESIGN BY:		l				
			GOLIATHTECH						
			CHECK BY:		l				
			CPOC		l				
			APP BY:		l				
			CPOC		l				
OTHER NO:					l				
			GTBRST278LSLEEVE-8X8-N						
FORMAT : A	REV.:	DATE:		PAGE:					
SCALE: NTS	1		2023-09-28						

В